



Kitemark[®] Licence

No. KM 35170

The British Standards Institution hereby grants to:

**Vizor Tempered Glass Limited
Unit 21
Baglan Industrial Estate
Aberavon Road
Baglan
SA12 7BJ
United Kingdom**

In respect of:

Safety glass for use in buildings

This issues the right and licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by The British Standards Institution, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.

For and on behalf of BSI:

Chair, Certification Body Management Committee

First Issued: **10/10/1996**

Latest Issue: **14/10/2011**



raising standards worldwide[™]

Page 1 of 3



This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000

The British Standards Institution, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP United Kingdom. Tel: +44 (0)845 080 9000, Web: www.bsigroup.com/certification. The British Standards Institution Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)20 8998 9001. The British Standards Institution is incorporated by Royal Charter.



Kitemark[®] Licence

No. KM 35170

BS EN 12150-1: 2000 - Thermally toughened soda lime silicate safety glass

Clear/tinted toughened glass meeting Impact Class A (BS 6206) and Class 1 (BS EN 12600)

Thickness (mm)	Tolerance (mm)
4.0	± 0.2
4.0 low iron	± 0.2
6.0	± 0.2
10.0	± 0.3

Coated toughened glass meeting Impact Class A (BS 6206) and Class 1 (BS EN 12600)

Coating	Thickness (mm)	Tolerance (mm)
Pilkington K	4.0	± 0.2
Pilkington K	6.0	± 0.2
Top NT	4.0	± 0.2
Top NT	6.0	± 0.2
Pilkington Activ	4.0	± 0.2
Pilkington Activ Blue	4.0	± 0.2
Pilkington Activ Neutral	4.0	± 0.2
Planitherm Total +	4.0	± 0.2
Planitherm Total +	6.0	± 0.2
Coolite Aqua Green	4.0	± 0.2

Modified toughened glass meeting impact class A (BS 6206) and Class 1 (BS EN 12600)

Type	Thickness (mm)	Tolerance (mm)
Satin	4.0	± 0.2

First Issued: **10/10/1996**

Latest Issue: **14/10/2011**

Page 2 of 3

raising standards worldwide[™]



This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000

The British Standards Institution, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP United Kingdom. Tel: +44 (0)845 080 9000, Web: www.bsigroup.com/certification. The British Standards Institution Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)20 8998 9001. The British Standards Institution is incorporated by Royal Charter.



Kitemark[®] Licence

No. KM 35170

Patterned toughened glass Impact Class A (BS 6206) and Class 1 (BS EN 12600) in 4mm and 6mm thickness

Artic	Cotswold	Mayflower	Sycamore
Autumn	Digital	Minster	Tafetta
Chantilly	Everglade	Oak	Warwick
Charcoal sticks	Flemish	Pelerine	
Contour	Florielle	Stippolyte	

First Issued: **10/10/1996**

Latest Issue: **14/10/2011**

Page 3 of 3

raising standards worldwide[™]



This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000

The British Standards Institution, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP United Kingdom. Tel: +44 (0)845 080 9000, Web: www.bsigroup.com/certification. The British Standards Institution Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)20 8998 9001. The British Standards Institution is incorporated by Royal Charter.